

## **South Bend Police MSOS Clandestine Laboratory Occurrence Report**

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 10-16-13

Address: 1600 E. Calvert E. Alley

Incident #: 13-0923NB

South Bend, IN

County: St. Joe

### **Type of Laboratory Seizure (check one)**

- ☐ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☒ Dumpsite (only)

### **Seizure Location (check all that apply)**

- ☐ Residence ☐ Hotel/Motel  
☐ Outbuilding ☒ Open - No Structure  
☐ Vehicle ☐ Other: \_\_\_\_\_

### **Items Found: Location (bedroom, kitchen, open air, etc)**

(check all that apply)

- ☐ One Pot or Birch Reaction(s): \_\_\_\_\_  
☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
☒ Hydrochloric Acid Gas Generator(s): In alley behind 1630 E. Calvert  
☐ Flammable Solvents: \_\_\_\_\_  
☐ Water Reactive Metal (Lithium): \_\_\_\_\_  
☐ Anhydrous Ammonia: \_\_\_\_\_  
☒ Corrosive Acid: In alley  
☐ Corrosive Base: \_\_\_\_\_  
☐ Other (item and location): \_\_\_\_\_

### **Vehicle Information:**

Owner:

Make:

VIN:

Model:

Year:

### **Child under age 18 discovered (check appropriate)**

- ☐ Yes \_\_\_\_\_ (number present)  
☒ No  
☐ Children not present but evidence they reside or visit often

Living conditions of home: ☐ clean ☐ disarray  
☐ unclean

Estimated length of time manufacturing had been occurring: \_\_\_\_\_

Additional Information: \_\_\_\_\_

### **This report has been faxed\* or emailed to the following agencies that serve the location:**

Fire Department City, Township or County SBFD

Fax: 574-235-9305

Health Department County: St. Joe Co.

Fax: 574-235-9497

Department of Child Services Hotline: deshotlinereports@des.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: Sgt. Michael S. Suth Phone 574-235-9406

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.

MSS 04-18-2013